

This checklist asks you to provide some information about your child's behavior. Below is a list of items that describe common behavior problems in children. Some of the items may be true of your child and some may not. Similar items are listed together. Please read each statement and decide how well it describes your child during the past two months. Then circle the number that best indicates how true each item is of your child.

0 = Almost never or not at all      2 = Often or pretty much  
 1 = Sometimes or just a little      3 = Very often or very much

- |    |   |   |   |   |   |
|----|---|---|---|---|---|
| 1  | Disobedient, won't mind or follow rules                                       | 0 | 1 | 2 | 3 |
| 2  | Argues or quarrels  | 0 | 1 | 2 | 3 |
| 3  | Uncooperative, won't help or work together with others                        | 0 | 1 | 2 | 3 |
| 4  | Defies authority or talks back  | 0 | 1 | 2 | 3 |
| 5  | Mean or cruel to others   | 0 | 1 | 2 | 3 |
| 6  | Threatens, bullies, or picks on other children                                | 0 | 1 | 2 | 3 |
| 7  | Starts fights   | 0 | 1 | 2 | 3 |
| 8  | Hits, bites, or throws things at people                                       | 0 | 1 | 2 | 3 |
| 9  | Destructive, breaks or smashes things on purpose                              | 0 | 1 | 2 | 3 |
| 10 | Lies or cheats  | 0 | 1 | 2 | 3 |
| 11 | Steals  | 0 | 1 | 2 | 3 |
| 12 | Hangs around with "bad" friends who often get into trouble                    | 0 | 1 | 2 | 3 |
| 13 | Explosive, unpredictable, or violent outbursts                                | 0 | 1 | 2 | 3 |
| 14 | Irritable, gets angry or annoyed easily                                       | 0 | 1 | 2 | 3 |
| 15 | Overreacts to minor problems, "flies off the handle"                          | 0 | 1 | 2 | 3 |
| 16 | Loses temper, has temper tantrums   | 0 | 1 | 2 | 3 |
| 17 | Shouts or screams a lot   | 0 | 1 | 2 | 3 |
| 18 | Excitable, gets "wound up" easily   | 0 | 1 | 2 | 3 |
| 19 | Can't concentrate or pay attention for long, short attention span             | 0 | 1 | 2 | 3 |
| 20 | Easily distracted   | 0 | 1 | 2 | 3 |
| 21 | Shifts frequently from one activity to another                                | 0 | 1 | 2 | 3 |
| 22 | Doesn't listen to directions  | 0 | 1 | 2 | 3 |
| 23 | Fails to finish things he or she starts                                       | 0 | 1 | 2 | 3 |
| 24 | Impulsive, acts without stopping to think                                     | 0 | 1 | 2 | 3 |
| 25 | Can't stand waiting, wants things right away                                  | 0 | 1 | 2 | 3 |
| 26 | Interrupts, talks out of turn, or blurts things out                           | 0 | 1 | 2 | 3 |
| 27 | Grabs for things, gets "into" everything                                      | 0 | 1 | 2 | 3 |
| 28 | Rushes into danger without thinking about getting hurt                        | 0 | 1 | 2 | 3 |
| 29 | Hyperactive, always "on the go"   | 0 | 1 | 2 | 3 |
| 30 | Restless, can't sit still   | 0 | 1 | 2 | 3 |
| 31 | Squirms or fidgets  | 0 | 1 | 2 | 3 |
| 32 | Constantly in motion, rarely slows down                                       | 0 | 1 | 2 | 3 |
| 33 | Always running about or climbing on things                                    | 0 | 1 | 2 | 3 |
| 34 | Tense, can't seem to relax  | 0 | 1 | 2 | 3 |
| 35 | Nervous, "jumpy" or jittery, seems "on edge"                                  | 0 | 1 | 2 | 3 |
| 36 | Nervous movements, shaking, or twitching                                      | 0 | 1 | 2 | 3 |
| 37 | Picks at things (such as skin, clothes, or hair)                              | 0 | 1 | 2 | 3 |
| 38 | Fearful, anxious, or worried  | 0 | 1 | 2 | 3 |
| 39 | Shy or timid  | 0 | 1 | 2 | 3 |
| 40 | Self-conscious or easily embarrassed  | 0 | 1 | 2 | 3 |
| 41 | Afraid to try new things for fear of making mistakes                          | 0 | 1 | 2 | 3 |
| 42 | Makes self "sick" with worry  | 0 | 1 | 2 | 3 |
| 43 | Clings to adults or is too dependent on others                                | 0 | 1 | 2 | 3 |
| 44 | Panic attacks, gets so worried or upset that he/she can't be easily comforted | 0 | 1 | 2 | 3 |
| 45 | Feelings are easily hurt, sensitive to criticism                              | 0 | 1 | 2 | 3 |
| 46 | Lacks self-confidence, has low self-esteem                                    | 0 | 1 | 2 | 3 |
| 47 | Feels worthless or inferior   | 0 | 1 | 2 | 3 |
| 48 | Blames self for problems, feels guilty  | 0 | 1 | 2 | 3 |
| 49 | Feels lonely, unwanted, or unloved, complains that no one loves him/her       | 0 | 1 | 2 | 3 |
| 50 | Lacks motivation, gives up easily or doesn't try                              | 0 | 1 | 2 | 3 |

PLEASE CONTINUE ON THE NEXT PAGE

51.	Sad, unhappy, or depressed	0	1	2	3
52.	Cries a lot; cries easily for no good reason	0	1	2	3
53.	Shows little interest or pleasure in activities; apathetic, doesn't seem to care about anything	0	1	2	3
54.	Thinks too much about death or dying; preoccupied with death	0	1	2	3
55.	Talks about harming or killing self	0	1	2	3
56.	Deliberately harms self or attempts suicide	0	1	2	3
57.	Doesn't get along with other children	0	1	2	3
58.	Has a hard time making friends	0	1	2	3
59.	Ignored or rejected by others	0	1	2	3
60.	Gets teased or picked on by other children	0	1	2	3
61.	Withdrawn, doesn't get involved with others; spends a lot of time alone	0	1	2	3
62.	Doesn't take part in normal social activities	0	1	2	3
63.	Acts too young for his or her age, "childish" or immature	0	1	2	3
64.	Acts silly or giggles too much	0	1	2	3
65.	Pesters or nags, is demanding; won't take "no" for an answer	0	1	2	3
66.	Asks personal or embarrassing questions	0	1	2	3
67.	Loud	0	1	2	3
68.	Talks too much	0	1	2	3
69.	Hums or makes odd noises in public	0	1	2	3
70.	Poor social judgment; not sensitive to other people's feelings or reactions	0	1	2	3
71.	Careless about how he/she looks or dresses	0	1	2	3
72.	Talks or thinks about sex too much	0	1	2	3
73.	Plays with own sex parts too much	0	1	2	3
74.	Bites or hits self, bangs head, or repeats other acts causing self-injury	0	1	2	3
75.	Odd movements or unusual posturing (such as hand-flapping or toe-walking)	0	1	2	3
76.	Needs close or constant supervision	0	1	2	3
77.	Talks or thinks about the same things over and over	0	1	2	3
78.	Repeats certain actions over and over (please explain) _____	0	1	2	3
79.	Once he/she gets an idea, it's hard to get it out of his/her mind	0	1	2	3
80.	Repeats or "echoes" words or phrases said by others	0	1	2	3
81.	Upset by changes in routine; insists on doing things the same way every time	0	1	2	3
82.	Sudden changes in mood or feelings; moody	0	1	2	3
83.	Rapid shifts between sadness and excitement	0	1	2	3
84.	Inconsistent; behavior or learning varies greatly from day to day	0	1	2	3
85.	Shows changes in personality; is not always his/her "same old self"	0	1	2	3
86.	Sees or hears things that aren't really there	0	1	2	3
87.	Confuses reality and fantasy; unable to tell the difference between real and imaginary things	0	1	2	3
88.	Says strange things that don't make sense; has odd or peculiar ideas (please explain) _____	0	1	2	3
89.	Strange, unusual, or bizarre behavior (please explain) _____	0	1	2	3
90.	Very suspicious of others; thinks people are out to get him or her	0	1	2	3
91.	Drowsy or sleepy; not alert or wide awake	0	1	2	3
92.	Sluggish or slow-moving; lacks energy	0	1	2	3
93.	Stares into space; seems preoccupied or "in a world of his/her own"	0	1	2	3
94.	Confused or disoriented; seems to be in a fog	0	1	2	3
95.	Unresponsive; doesn't show feelings or emotions	0	1	2	3
96.	Clumsy, awkward, or poorly coordinated	0	1	2	3
97.	Bumps into things or falls a lot	0	1	2	3
98.	Speech is slurred or hard to understand	0	1	2	3
99.	Shaky movements or tremor; hands tremble or shake	0	1	2	3
100.	Draws or writes poorly	0	1	2	3
101.	Has trouble hitting, kicking, or throwing a ball	0	1	2	3
102.	Eats too much	0	1	2	3
103.	Overweight or gains too much weight	0	1	2	3
104.	Poor appetite; doesn't eat much	0	1	2	3
105.	Underweight or loses too much weight	0	1	2	3
106.	Eats things that are not food (please explain) _____	0	1	2	3
107.	Goes on eating binges; eats large amounts of food all at once	0	1	2	3
108.	Vomits after eating (not due to illness or medication)	0	1	2	3

PLEASE CONTINUE ON THE NEXT PAGE

109.	Sleeps more than most other children	0	1	2	3
110.	Sleeps less than most other children	0	1	2	3
111.	Has trouble falling asleep	0	1	2	3
112.	Sleep is restless or disturbed; often tosses and turns in sleep	0	1	2	3
113.	Wakes up often in the night	0	1	2	3
114.	Has nightmares or bad dreams	0	1	2	3
115.	Talks, walks, or cries out in sleep	0	1	2	3
116.	Wakes up too early in the morning	0	1	2	3
117.	Headaches	0	1	2	3
118.	Stomach aches	0	1	2	3
119.	Aches or pains in muscles, limbs, chest, or back	0	1	2	3
120.	Complains of feeling "sick"	0	1	2	3
121.	Complains of dizziness or feeling faint	0	1	2	3
122.	Nausea or vomiting when nervous or emotionally upset	0	1	2	3
123.	Nausea or vomiting due to illness or medication	0	1	2	3
124.	Diarrhea or loose bowels	0	1	2	3
125.	Fever or high temperatures	0	1	2	3
126.	Complains of hot or cold spells (without having a fever)	0	1	2	3
127.	Hearing problems (please explain)	0	1	2	3
128.	Problems with eyes or vision (other than needing eyeglasses) (please explain)	0	1	2	3
129.	Rashes or other skin problems	0	1	2	3
130.	Asthma, wheezing, or trouble breathing	0	1	2	3
131.	Seizures that cause falling and loss of consciousness	0	1	2	3
132.	Seizures that are brief and do not cause complete loss of consciousness	0	1	2	3
133.	Tires easily; lacks stamina or physical endurance	0	1	2	3
134.	Constipated; doesn't have regular bowel movements	0	1	2	3
135.	Has bowel movements outside of the toilet; soils pants	0	1	2	3
136.	Wets the bed at night	0	1	2	3
137.	Wets self during the day	0	1	2	3
138.	Accident-prone; gets frequent cuts, scrapes, or bruises	0	1	2	3
139.	Illness requiring emergency room treatment or a stay in the hospital (please explain)	0	1	2	3
140.	Other physical problems (please explain)	0	1	2	3
141.	Doesn't follow doctor's orders for health problems	0	1	2	3
142.	Refuses or "forgets" to take pills or medicine he/she is supposed to take	0	1	2	3
143.	Refuses or "forgets" to complete special exercises or physical activities he/she is supposed to do	0	1	2	3
144.	If on a restricted diet, he/she sneaks food or eats foods he/she is not supposed to eat	0	1	2	3
145.	Worries about or is fearful of medical procedures (shots, blood tests, etc.)	0	1	2	3
146.	Physically resists or combats medical procedures (shots, blood tests, etc.)	0	1	2	3
147.	Careless or irresponsible about his/her health	0	1	2	3
148.	Has trouble expressing self; "can't get the words out"	0	1	2	3
149.	Quiet; doesn't talk very much	0	1	2	3
150.	Speech or articulation problems (please explain)	0	1	2	3
151.	Gets mixed up when telling a story or explaining how something happened	0	1	2	3
152.	Has trouble remembering names for things or thinking of the right words to say	0	1	2	3
153.	Makes up words or substitutes words with similar meanings (such as "door" for "window")	0	1	2	3
154.	Thinks and works slowly	0	1	2	3
155.	Unable to think clearly and logically; has trouble figuring out how to solve problems	0	1	2	3
156.	Comprehension problems; difficulty in understanding directions or discussions	0	1	2	3
157.	Has trouble remembering things; forgets easily	0	1	2	3
158.	Thoughts are rambling or disorganized	0	1	2	3
159.	Has difficulty learning, even when he or she tries hard	0	1	2	3
160.	Underachieving; not working up to potential	0	1	2	3
161.	Has trouble with reading, writing, or arithmetic	0	1	2	3
162.	Fails to complete schoolwork or homework	0	1	2	3
163.	Schoolwork is sloppy, careless, or disorganized	0	1	2	3
164.	Gets low grades on school papers or tests	0	1	2	3
165.	Does not like school; doesn't want to go to school	0	1	2	3

PLEASE CHECK TO BE SURE YOU HAVE COMPLETED ALL ITEMS